

EXCEPT AS OTHERWISE PROVIDED BY CONTRACT, THIS DRAWING AND SPECIFICATIONS SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR MANUFACTURE OR SALE OF MATTER DEPICTED HEREIN WITHOUT THE EXPRESSED WRITTEN PERMISSION OF THE CLAUDE LAVAL CORPORATION, OR ITS ASSIGNEES.


NOTES:

1. INLET & OUTLET FLANGES ARE 2" (50 mm) 10K FF PER JIS B2220 REQUIRING 4X M20 BOLTS (BOLTS AND GASKETS NOT INCLUDED).
2. MAXIMUM PRESSURE: 14 bar (203 psi).
3. MAXIMUM TEMPERATURE: 110°C (230°F).
4. PRESSURE LOSS: .34-1.24 bar AT RATED FLOW.
5. RATED FLOW: 18.2-34.0 m³/hr.
6. APPROXIMATE DRY WEIGHT: 110 kg.
7. FINISH: LAKOS BLUE (EXTERIOR ONLY).

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED


SUBMITTAL DRAWING

This drawing is submitted for spatial consideration only. Do not pre-plumb to these dimensions.



OPTIONAL SMART PURGE





UNIT SHOWN WITH SMART PURGE ASSEMBLY INSTALLED (ORDER SEPARATELY)



OPTIONAL FLANGED SPOOL

MODEL FS-02/JIS (AVAILABLE SEPARATELY) REQUIRED FOR REMOVAL OF TOP ASSEMBLY

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: mm (INCHES) TOLERANCES ARE: DECIMALS ANGLES 0 ± .6 ± 1/4" 0.0 ± 0.5 0.00 ± 0.05 DO NOT SCALE DRAWING	ENGINEERED FOR: JIS FLANGES		LAKOS CLAUDE LAVAL CORP. FRESNO, CALIFORNIA 93727 WWW.LAKOS.COM			
	APPROVALS	DATE				
	MATERIAL	CLASS P-1 MILD CARBON STEEL	ENGR	-	TITLE	eJPX-0080-V/JIS, SEPARATOR 0080 eJPX VERT JIS FLG, CARBON STEEL
	FINISH	LAKOS BLUE	MFG	-	SIZE	C
		WORK ORDER		SCALE	1:6	
				DWG NO.	137160-JIS	
				REV.	01	
				EST. WT.	227 lb	
				SHEET	1 OF 1	



THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY AN APPROVED ENGINEERING CHANGE ORDER (ECO). PAPER COPIES ARE UNCONTROLLED.

D
C
B
A

D
C
B
A

4

3

2

1

4

3

2

1

DWG NO. 137160-JIS
SHEET 01