


EXCEPT AS OTHERWISE PROVIDED BY CONTRACT, THIS DRAWING AND SPECIFICATIONS SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR MANUFACTURE OR SALE OF MATTER DEPicted HEREIN WITHOUT THE EXPRESSED WRITTEN PERMISSION OF THE CLAUDE LAVAL CORPORATION, OR ITS ASSIGNEES.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY AN APPROVED ENGINEERING CHANGE ORDER (ECO). PAPER COPIES ARE UNCONTROLLED.

NOTES:

1. INLET & OUTLET ARE 3" BSP PIPE.
2. MAXIMUM PRESSURE: 150 psi (10.3 bar).
3. MAXIMUM TEMPERATURE: 180°F (82.2°C).
4. PRESSURE LOSS: 5-12 psid AT RATED FLOW.
5. RATED FLOW: 148-290 gpm (33.5-66.0 m³/hr).
6. APPROXIMATE DRY WEIGHT: 108 lbs (49 kg).
7. FINISH: GLASSBLAST (EXTERIOR ONLY).



TOP VIEW

SUBMITTAL DRAWING

This drawing is submitted for spatial consideration only. Do not pre-plumb to these dimensions.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES (mm) TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/4 ±.005 ±1/4 DO NOT SCALE DRAWING		ENGINEERED FOR: BSP INLET/OUTLET		CLAUDE LAVAL CORP. 1365 N. CLOVIS AVE. FRESNO, CALIFORNIA 93727 	
MATERIAL TYPE 316L STAINLESS STEEL		APPROVALS	DATE	TITLE	
FINISH: GLASS BLAST		DRAWN GERALD	7/1/98	ILS-0300/BSP, SEPARATOR, 3" BSP INLINE, 316L SS	
WORK ORDER		REVIEWED	1/28/00	SIZE C	MODEL NO.
				DWG NO. 107535	REV. -
				SCALE 1/4	SHEET 1 OF 1

DWG. NO. 107535 BR 1 REV -